

References

- Adams, W. T., and R. W. Allard. 1982. *Mating System Variation in Festuca Microstachys*. Evolution 36.3: 591.
- Ainouche, Abdel-Kader, and Randall J. Bayer. 1999. *Phylogenetic Relationships in Lupinus (Fabaceae: Papilionoideae) Based on Internal Transcribed Spacer Sequences (ITS) of Nuclear Ribosomal DNA*. American Journal of Botany 86.4: 590.
- AOSCA Standards and Procedures for Producing Certified Alfalfa Seed: Their Origins and Relevance to Confinement in GE Field Testing in the United States. Apr. 2012. A Report by the Association of Official Seed Certifying Agencies.
- Baldwin, Bruce G., Douglas H. Goldman, and Linda Ann Vorobik. 2012. *The Jepson Manual: Vascular Plants of California*. Berkeley, CA: U of California.
- Barkworth, Mary E., Laurel K. Anderton, Julie McGrew, and David E. Giblin. 2006. *Geography and Morphology of the Bromus Carinatus (Poaceae: Bromeae) Complex*. Madroño 53.3: 233-43.
- Bartolome, J.W., W.J. Barry, T. Griggs, and P. Hopkinson. 2007. *Valley Grassland: Terrestrial Vegetation of California*, 3rd Ed. Los Angeles: UC Press. Pp. 367–393.
- Basey, A. C. et al. 2016. *Producing Native Plant Materials for Restoration: 10 Rules to Collect and Maintain Genetic Diversity*. Native Plants Journal 16.1: 37-53.
- Baumann, U., and Langridge, P. 2008. "Self-Incompatibility in the Grasses." Self-Incompatibility in Flowering Plants: 275-87.
- Beekman, M., and F. L. W. Ratnieks. 2000. *Long-range Foraging by the Honey-bee, Apis Mellifera L.* Functional Ecology 14.4: 490-96.
- Campbell, Christopher S., James A. Quinn, Gregory P. Cheplick, and Timothy J. Bell. 1983. *Cleistogamy in Grasses*. Annual Review of Ecology and Systematics 14: 411-41.
- Carlstrom, Curt. 2009. *Premeiotic Reduction in Agrostis L., Potentilla L., and Triticum L.* Hereditas 61.3: 421-23.
- Eviner, VT. 2016. *Grasslands*. In: Mooney, HA and E Zavaleta (editors). *Ecosystems of California*. University of California Press. pp. 449-477

- Huang, D. I., & Friar, E. A. 2010. Relationships in the *Lupinus albifrons* Species Complex (Fabaceae) based on Two Highly Variable Chloroplast Regions. Systematic Botany, 36.2: 362-370
- Johansen, B., & Bothmer, R. V. 1994. Pollen size in *Hordeum L.*: Correlation between size, ploidy level, and breeding system. Sexual Plant Reproduction, 7.5: 259-263
- Chiapella, J. O., V. L. Deboer, G. C. Amico, and J. C. Kuhl. 2011. A Morphological and Molecular Study in the *Deschampsia Cespitosa* Complex (Poaceae; Poeae; Airinae) in Northern North America. American Journal of Botany 98.8: 1366-380.
- Connor, H.E. 1979. Breeding Systems in the Grasses: A Survey. New Zealand Journal of Botany 17.4: pg. 547-74.
- Darris, Dale C., and Peter Gonzalves. 2008. *California Oatgrass: Danthonia Oatgrass*. USDA PLANTS Database.
- Dobrenz, A. K. 1966. Cleistogenes in *Danthonia*. Journal of Range Management 19.5: 292-96.
- Drummond, Christopher S. 2008 Diversification of *Lupinus* (Leguminosae) in the Western New World: Derived Evolution of Perennial Life History and Colonization of Montane Habitats. Molecular Phylogenetics and Evolution 48.2: 408-21.
- Dyer, A. R., E. E. Knapp, and K. J. Rice. 2016. Unintentional Selection and Genetic Changes in Native Perennial Grass Populations During Commercial Seed Production. Ecological Restoration 34.1: 39-48.
- Dyer, Andrew R., and Kevin J. Rice. 1997. Evidence of Spatial Genetic Structure in a California Bunchgrass Population. Oecologia 112.3: 333-39.
- Friedman, J., and S. C. H. Barrett. 2009. Wind of Change: New Insights on the Ecology and Evolution of Pollination and Mating in Wind-pollinated Plants. Annals of Botany 103.9: 1515-527.
- Hagler JR, Mueller S, Teuber LR, Machtley SA, Van Deynze A. 2011. Foraging range of honey bees, *Apis mellifera*, in alfalfa seed production fields. Journal of Insect Science 11:144.
- Harlan, Jack R. 1945. Natural Breeding Structure in the *Bromus Carinatus* Complex as Determined by Population Analyses. American Journal of Botany 32.3: 142.

- Hatfield, Emerin, and Susan R. Kephart. 2003. *Reproductive Isolation and Hybridization Between Two Milkweeds (Asclepias fascicularis and A. speciosa, Asclepiadaceae)*. Madroño. 50.3: 170-80.
- Jackson, R. C. 1985. *Genomic Differentiation and Its Effect on Gene Flow*. Systematic Botany 10.4: 391.
- Jensen, K. B., D. R. Dewey, and Y. F. Zhang. 1990. *Mode of pollination of perennial species of the Triticeae in relation to genomically defined genera*. Canadian Journal of Plant Science 70.1: 215-25.
- Jones, Thomas A., Steven R. Larson, and Barbara L. Wilson. 2008. *Genetic Differentiation and Admixture among Festuca Idahoensis, F. roemerii, and F. ovina Detected in AFLP, ITS, and Chloroplast DNA*. Botany 86.4: 422-34.
- Kannenberg, L., & Allard, R. 1967. *Population Studies in Predominantly Self-Pollinated Species. VIII. Genetic Variability in the Festuca microstachys Complex*. Evolution, 21.2: 227-240.
- Karoly, Keith. 1994. *Inbreeding Effects on Mating System Traits for Two Species of Lupinus (Leguminosae)*. American Journal of Botany 81.12: 1538.
- Knowles, P. F. 1943. *Improving an Annual Brome Grass, Bromus Mollis L., for Range Purposes I*. Agronomy Journal, 35.7: 584.
- Lane, Meredith A. 1992. *New Combinations in Californian Grindelia (Compositae: Astereae)*. Novon 2.3: 215.
- Langridge, P., and U. Baumann. 2008. *Self-Incompatibility in the Grasses*. Annals of Botany. 85:203-209.
- Larson, S. R., E. Cartier, C. L. Mccracken, and D. Dyer. 2001. *Mode of Reproduction and Amplified Fragment Length Polymorphism Variation in Purple Needlegrass (Nassella Pulchra): Utilization of Natural Germplasm Sources*. Molecular Ecology 10.5: 1165-177.
- Love, R. Merton. 1954. *Interspecific Hybridization in Stipa. II. Hybrids of S. Cernua, S. Lepida, and S. Pulchra*. American Journal of Botany 41.2: 107.
- McLaughlin, Steven P. 1988. *An Analysis of Genetic Variation among Intraspecific Hybrids in Grindelia Camporum (asteraceae)*. Biomass 16.3: 151-60.
- Ottosson, Fredrik, Roland Von Bothmer, and Oscar Diaz. 2002. *Genetic Variation in Three Species of Hordeum, and the Selection of Accessions for the Barley Core Collection*. Hereditas 137.1: 7-15.

- Rajakaruna, Nishanta. 2003. *Edaphic Differentiation in Lasthenia: A model for studies in evolutionary ecology*. Madroño 50.1: 34-40.
- Kevin J. Rice, and Knapp, Eric E. 1996. *Genetic Structure and Gene Flow in Elymus Glaucus (blue Wildrye): Implications for Native Grassland Restoration*. Restoration Ecology 4.1: 1-10.
- Rognli, Odd Arne, Nils-Otto Nilsson, and Minna Nurminniemi. 2000. *Effects of Distance and Pollen Competition on Gene Flow in the Wind-pollinated Grass Festuca pratensis huds*. Heredity 85.6: 550.
- Stebbins, G., & Tobgy, H. 1944. *The Cytogenetics of Hybrids in Bromus. I. Hybrids Within the Section Ceratochloa*. American Journal of Botany, 31.1: 1-11.
- Stromberg, M., C.M. D'Antonio, T.P. Young, J. Wirka & P. Kephart. 2007. *California Grassland Restoration: Ecology and Management of California Grasslands*. Los Angeles: UC Press. Pp. 254-280
- Vetter, Stefan, Maria Lambrou, Chlodwig Franz, Friedrich Ehrendorfer, and Johannes Saukel. 1996. *Chromosome Numbers of Experimental Tetraploid Hybrids and Self-pollinated Progenies within the Achillea Millefolium Complex (Compositae)*. Caryologia 49.3-4:227-31.
- Warwick, S. I., and L. D. Gottlieb. 1985. *Genetic Divergence and Geographic Speciation in Layia (Compositae)*. Evolution 39.6: 1236.
- Wedberg, H. L., Lewis, H., & Venkatesh, C. S. 1968. *Translocation Heterozygotes and Supernumerary Chromosomes in Wild Populations of Clarkia williamsonii*. Evolution, 22.1: 93.
- Winslow, Susan R. 2012. *Plant Materials Technical Note. Sandberg Bluegrass: Poa Secunda Ssp. Secunda*. USDA PLANTS Database.
- Youngner, V. B., & McKell, C. M. 1972. *The Biology and utilization of grasses*. New York: Academic Press.